PTO/S8/82 (01-08)

Approved for use through 17/31/20% OMB 9651-9035
S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Peperwork Reguction Act of 1995, no persons are required to re	U.S. Patent and I rademark Uti the collection of information units	ios, D.S. DEPAR MENT OF COMMERC ios if displays a yead OMB control numbe			
REVOCATION OF POWER OF		10/697,450			
	Filing Date	October 30, 2003 Brian Tracey			
	First Named Inventor				
	Art Unit	3748			
	Examiner Name	Leonard J. Weinstein			
	Attorney Docket Number	1062/075			

I hereby revoke all previous powers of attorney given in the above-identified application.										
A Pov	ver of Attorn	ney is submitted here	ewith.							
or										
I hereby appoint the practitioners associated with the Customer Number					mber:		73	3544		
✓ Please change the correspondence address for the above-identified application to:										
▼ The address associated with Customer Number: 73544										
OR									·····	
Firm o	r lual Name									
Address										
City				State			\Box	Zip		
Country										
Telephone					Email		-			
I am the: Applicant/Inventor, Assignee of record of the entire interest. See 37 CFR 3.71.										
Statement under 37 CFR 3.73(b) is enclosed. (Form PTO/SB/96) SIGNATURE of Applicant or Assignee of Record										
Signature	-	Oldiva. Oli	E OF AUDICAIN	Or As	ilduee o	r Record			***************************************	
Name	Dean Kamen	- Company	an-			······································			·	
Date	12.04			Te	elephone	603-669-5	5139			
NOTE: Signatures of all the inventors or assignees of record of the entire interest or their representative(s) are required. Submit multiple forms it more than one signature is required, see below.										

Critical of Commission sequence by 37 CPR 1.36. The electroscine is required to obtain or retain a benefit by the public which is to file (and by the USPTO to proceed an eight-basine. Confidentially is givened by 39 U.S.C. 122 and 37 CPR 1.31 and 1.14. This collection is estimated to take 3 minutes to take 3 minutes